

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	email and kdc and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 12:12
L2	0	email same key adj3 exchange and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 12:12
L3	2	email same key adj3 exchange and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 12:14
L4	13	"electronic mail" same key adj3 exchange and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 12:16
L5	1	"electronic mail" same KDC and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 12:17
L6	20	"electronic mail" same key same third adj2 party and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 12:19
L7	3	"email" same key same third adj2 party and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 12:22
L8	0	"electronic adj mail or email or e-mail" same update same key and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 12:22
L9	0	"electronic adj mail or email or e-mail" and update same key and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 12:22
L10	323276	"electronic adj mail or email or e-mail" same key and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 12:23
L11	26	(electronic adj mail or email or e-mail) same update same key and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 12:23
L13	688	key adj index and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 12:49

L14	44	send same key adj index and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 12:49
L15	1	public adj key same server same client same kek and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:47
L16	60	public adj key same server same symmetric and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 14:31
L17	118	public adj key same server same session and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 14:35
L18	101	encrypt with session with public adj key and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 14:54
L19	414	(email or e-mail or electronic mail) same switchboard and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 14:56
L20	14	(email or e-mail or electronic adj mail) same switchboard and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:02
L21	64577	word with bit and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:03
L22	425	encrypt\$5 same word with bit and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:06
L23	338817	encrypt\$5 same word with 10with bit and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:06
L24	2	encrypt\$5 same word with ten with bit and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:07
L25	154	encrypt\$5 same word adj3 bit and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:09

L26	9677591	encrypt\$5 same word adj3 bit with "10"and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:09
L27	8	encrypt\$5 same word adj3 bit with "10" and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:15
L28	6	encrypt\$5 same word adj3 bit with "12" and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:19
L29	6	random with input with algorithm with start and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:29
L30	30	random with algorithm with start and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:36
L31	1	("5351296").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/07 15:36
L32	17	add with password with key and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:49
L33	2675	password with key and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:49
L34	109	password with key with register and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:52
L35	450	password with key with access and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:58
L36	55917	"713"/\$.ccls. include\$3 with random and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:59
L37	23019	"713"/\$.ccls. include\$3 with random adj nonce and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:59

L38	1	"713"/\$.ccls. and include\$3 with random adj nonce and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 16:11
L39	1169	"713"/\$.ccls. and include\$3 with random and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 15:59
L40	4326	manufacturer with serial number same write adj2 once and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 16:11
L41	776	"713"/\$.ccls. and manufacturer with serial number same write adj2 once and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 16:11
L42	732	"713"/\$.ccls. and manufacturer with serial number same write adj once and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 16:12
L43	0	"713"/\$.ccls. and manufacturer with serial adj number same write adj once and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 16:12
L44	92	"713"/\$.ccls. and manufacturer with serial adj number and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 16:13
L45	2	"713"/\$.ccls. and serial adj number same write adj2 once and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 16:14
L46	17	serial adj number same write adj2 once and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 16:46
L47	1	("5351296").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/07 17:05
L48	1	("6134631").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/07 17:34
L49	1	("6681017").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/07 17:34

S1	142	713/171.ccls. and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 13:18
S2	1	email same key with update and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 13:20
S3	5	email same key with distribut\$4 and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 13:20
S4	129	kdc and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 13:21
S5	26	"713"/\$.ccls. and kdc and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 12:49
S6	30	"380"/\$.ccls. and kdc and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 12:11
S7	0	kadanski.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 13:46
S8	406	kadan\$.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 13:46
S9	2	kadan\$.in. and group adj key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 13:46
S10	9678059	server same key same list same (age or old or new) @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:42
S11	114	server same key same list same (age or old or new) and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 14:26
S12	13	server same key adj3 list same (age or old or new) and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 15:17

S13	0	"key encrypted with itself" and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 16:12
S14	0	"key encrypts itself" and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 16:23
S15	446	key with itself same encrypt\$2 and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 16:23
S16	292	key with itself with encrypt\$2 and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 16:59
S17	7	database same send same key adj3 address and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 17:01
S18	34	database same send same key adj3 number and @ad<"19980924"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/07 10:03
S19	1	("20020099948").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/07 10:03